## **UNCLASSIFIED**

# AD NUMBER ADB248354 **NEW LIMITATION CHANGE** TO Approved for public release, distribution unlimited **FROM** Distribution authorized to U.S. Gov't. agencies only; Proprietary Info.; Oct 98. Other requests shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott St., Fort Detrick, MD 21702-5012. **AUTHORITY** USAMRMC ltr, 23 Aug 2001

AD	

#### AWARD NUMBER DAMD17-97-1-7034

TITLE: Cell Proliferation, Cell Death, and Size Regulation

PRINCIPAL INVESTIGATOR: Nicholas E. Baker, Ph.D.

CONTRACTING ORGANIZATION: Albert Einstein College of Medicine

of Yeshiva University Bronx, New York 10461

REPORT DATE: October 1998

TYPE OF REPORT: Annual

PREPARED FOR: Commander

U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Distribution authorized to U.S. Government agencies only (proprietary information, Oct 98). Other requests for this document shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott Street, Fort Detrick, Maryland 21702-5012.

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

19991020 089

#### NOTICE

DRAWINGS, SPECIFICATIONS, OR OTHER USING GOVERNMENT DATA INCLUDED IN THIS DOCUMENT FOR ANY PURPOSE OTHER GOVERNMENT PROCUREMENT DOES NOT IN U.S. GOVERNMENT. THE FACT THAT OBLIGATE THE FORMULATED SUPPLIED THE GOVERNMENT OR SPECIFICATIONS, OR OTHER DATA DOES NOT LICENSE HOLDER OR ANY OTHER PERSON OR CORPORATION; OR CONVEY ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE, OR SELL ANY PATENTED INVENTION THAT MAY RELATE TO THEM.

## LIMITED RIGHTS LEGEND

Award Number: DAMD17-97-1-7034

Organization: Albert Einstein College of Medicine

Location of Limited Rights Data (Pages):

Those portions of the technical data contained in this report marked as limited rights data shall not, without the written permission of the above contractor, be (a) released or disclosed outside the government, (b) used by the Government for manufacture or, in the case of computer software documentation, for preparing the same or similar computer software, or (c) used by a party other than the Government, except that the Government may release or disclose technical data to persons outside the Government, or permit the use of technical data by such persons, if (i) such release, disclosure, or use is necessary for emergency repair or overhaul or (ii) is a release or disclosure of technical data (other than detailed manufacturing or process data) to, or use of such data by, a foreign government that is in the interest of the Government and is required for evaluational or informational purposes, provided in either case that such release, disclosure or use is made subject to a prohibition that the person to whom the data is released or disclosed may not further use, release or disclose such data, and the contractor or subcontractor or subcontractor asserting the restriction is notified of such release, disclosure or use. This legend, together with the indications of the portions of this data which are subject to such limitations, shall be included on any reproduction hereof which includes any part of the portions subject to such limitations.

THIS TECHNICAL REPORT HAS BEEN REVIEWED AND IS APPROVED FOR PUBLICATION.

Vaccia Mohro

### REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jafferson Davis Highway, Suite 1204, Affington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED 1. AGENCY USE ONLY (Leave blank) October 1998 Annual (19 Sep 97 - 18 Sep 98) 4. TITLE AND SUBTITLE 5. FUNDING NUMBERS DAMD17-97-1-7034 Cell Proliferation, Cell Death, and Size Regulation 6. AUTHOR(S) Nicholas E. Baker, Ph.D. 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT NUMBER Albert Einstein College of Medicine of Yeshiva University Bronx, New York 10461 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING / MONITORING AGENCY REPORT NUMBER U.S. Army Medical Research And Materiel Command ATTN: MCMR-RMI-S 504 Scott Street Fort Detrick, Maryland 21702-5012 11. SUPPLEMENTARY NOTES 12b. DISTRIBUTION CODE 12a. DISTRIBUTION / AVAILABILITY STATEMENT Distribution authorized to U.S. Government agencies only (proprietary information, Oct 98). Other requests for this document shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott Street, Fort Detrick, Maryland 21702-5012. 13. ABSTRACT (Maximum 200 words) Previous studies have indicated that the pineapple eye gene may encode a survival factor important for regulating cell number in the Drosophila eye. We have proposed to isolate the pineapple eye gene and characterize its role in survival. In the first year we have achieved our goals of identifying a mutation in the pineapple eye gene that is associated with a cytologically and molecularly detectable rearrangement. Genomic DNA encompassing this region has been isolated and mapped, and defines the minimal region wherein the pienapple eye gene must reside. 14. SUBJECT TERMS 15. NUMBER OF PAGES Breast Cancer

OF ABSTRACT

19. SECURITY CLASSIFICATION

Unclassified

18. SECURITY CLASSIFICATION OF THIS

Unclassified

PAGE

17. SECURITY CLASSIFICATION OF REPORT

Unclassified

16. PRICE CODE

20. LIMITATION OF ABSTRACT

Limited:

## FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.
Where copyrighted material is quoted, permission has been obtained to use such material.
Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.
Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.
In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).
For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.
In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.
In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.
In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

PI - Signature

Date

## TABLE OF CONTENTS

Front Cover	•	- 1
SF298		2
Foreword		3
Table of Contents		4
Introduction		5
Body	••••••	6-7
Conclusions		8
References		8

CELL PROLIFERATION, CELL DEATH, AND SIZE REGULATION

#### INTRODUCTION

Cell proliferation and cell death come to attention through their roles in cancer and in degenerative diseases, but their normal function is in biological development. Cell death and division must be central features of biological size control, a fundamental property of organs and organisms about which almost nothing is known. In vivo, rates of cell division and of cell death must be linked to the current size of the organ and of the organism. The mechanisms by which this occurs have not been discovered.

A genetic approach might be the best way to investigate regulation of cell number in vivo. Drosophila could provide the ideal multicellular animal model. We have been investigating regulation of cell number in the developing Drosophila eye, and have isolated mutations in a gene that reduce cell number. These identify a candidate gene for size regulation in vivo.

Each Drosophila compound eye comprises a precise array of about 800 ommatidia ("unit eyes"). Each ommatidium is constructed by 22 Individual cell types are determined after a nearly random proliferative phase with no detectable role of lineage (1)(2)(3). Each ommatidium arise through a sequence of post-mitotic single-cell inductions, each successive cell inducing the next(4)(5)(6). How can the undifferentiated retinal epithelium contain a multiple of 22 cells, prior to their specification by induction? A clue came from studies of mutants in which too few ommatidia form. In normal development, the first five cells of each ommatidium are specified during an arrest in G1 of the cell cycle. Remaining cells re enter the cell cycle, and are recruited to form the remaining ommatidial cells after another division (1)(4). In mutants where very few ommatidia initiate differentiation, all the remaining cells reenter the cell cycle, but almost all then arrest in G2. Exceptions are cells in contact with the few differentiating ommatidia, which proceed through mitosis. established the existence of an inductive signal from the first five cells of each ommatidium, permitting nearby cells to pass the G2/M checkpoint (7). The supernumerary, G2 arrested cells subsequently undergo cell death. We further showed that such death occurs even if supernumerary cells were arrested in the prior G1 phase, and so was not dependent on the particular cell cycle stage (our unpublished results). This indicated that the first five cells of each ommatidium also provide a survival signal for nearby cells. We therefore concluded that the first five cells of each ommatidium control cell number by "counting" the cells in their neighborhood, through local control of cell division and cell survival (7).

We performed mutagenesis experiments to identify mutations affecting Drosophila eye development(8). A recessive mutation mapping at 43 centimorgans along the second chromosome has "rough" eyes and was named pineapple eye (pie). In pie mutants the retina has too few cells, because of excess cell death during eye development. Therefore the pie gene is a candidate to encode a component of the hypothesized survival signal. We proposed to clone the pie gene and characterize the role of its product.

#### EXPERIMENTAL METHODS

Results obtained during the first year have led to some changes in the experiments performed, although the overall strategy remained similar.

The original scheme was to use the location of the pie gene at chromosome band 32A to isolate new mutant alleles associated with chromosome breakpoints. The scheme proposed involved using transgenic strains bearing genetically visible insertions in the vicinity of 32A to screen for chromosomal deletions and rearrangements in the 32A region as well as for new alleles of pie. These would then be used to locate the pie genomic region in DNA cloned by the Drosophila genome project. This is essentially what we have achieved, although the route taken has been different from that anticipated.

#### RESULTS

Early on we discovered that the initial mapping of the pie gene to chromosome band 32A was incorrect. This error arose because one of the deficiency strains used for mapping,  $Df(2L)Mdh \ 30D-F;31F$  in fact did not contain the indicated deficiency. We were able to reassign the pie gene to the nearby region 31E-F. This led us to use different transgenic lines as the substrate for X-ray mutagenesis of the 31E-F region, instead of region 32A.

66,500 flies derived from X-irradiated germ cells (4000 rads) were screened for rearrangements and for failure to complement the original  $pie^{EB3}$  allele. Several individuals apparently carrying new pie mutations were recovered, but in no case did such individuals breed successfully, so lines carrying the putative new alleles could not be recovered.

In subsequent experiments we concluded that the  $pie^{BB3}/Deficiency$  genotype is in fact semilethal. That is, while some individuals of this genotype do survive and exhibit the characteristic pie phenotype, most die before emerging from the pupa. Those adults that do survive are extremely sickly, the females are invariable sterile and the males breed very poorly.

On the one hand, the properties of pie/deficiency flies rendered our proposed scheme for isolating new pie mutant alleles from adult flies problematic. On the other hand, it raised the possibility that new pie alleles could more readily be obtained through screening for a lethal phenotype. Fortunately, such a genetic screen for lethal mutations in the 31E-F region had already been reported by Grigliatti and colleagues (9). We obtained all their published lethal strains and determined that pie was allelic to a "lethal" complementation group, 1(2)31Ek. Six more alleles of pie thus became available to us through this reassignment. One of these alleles,  $1(2)31Ek^{G2-4}$ , had been induced after X-ray mutagenesis. Thus, the original goals of our mutagenesis plan, to precisely define the pie locus and obtain X-ray induced mutations, were attained through a different mechanism than the anticipated one.

Genomic clones from the 31E region had been found amongst cosmid clones collected by the European component of the Drosophila genome project (10). We established a contig of three overlapping cosmid clones that extended from a Sequence-Tagged Site corresponding to the daughterless gene, which was determined to map distal to the pie locus,

to the end of the Df(2L)J77 deficiency, determined to map proximal to the pie locus. Thus, pie genomic DNA must lie within this interval of  $\sim 120$  kb.

We have restriction mapped this 120 kb region. Genomic Southern blotting with DNA from the  $1(2)\,31Ek^{G2-4}$  mutant identified a breakpoint at position +60 which is not present in the progenitor strain in which this mutation was induced. Further molecular and cytological analysis revealed that  $1(2)\,31Ek^{G2-4}$  was associated with a chromosomal inversion, which we characterized as  $In(2L)\,31E-32F$ .

#### DISCUSSION

Our original goals for the first 12 months of the project, as outlined in the statement of work, were: 1) to perform an X-ray screen for rearrangements and mutations in the *pie* region; 2) Perform cytological analysis of such chromosomes; 3) Establish an ordered set of DNA's from the region; 4) Begin locating DNA important for *pie* gene function. All these goals have been achieved, although the experiments took a different course from that anticipated.

Our X-ray screen and other genetic experiments determined that pie was located in chromosome region 31E-F, not 32A, and that the pie/Df phenotype was semilethal. Using this information we located novel mutant alleles of pie amongst the products of an unrelated genetic screen (9). One of these mutations is caused by a chromosomal inversion between the 31E region and 32F. An ordered set of DNA's has been established that spans the region defined genetically to include the pie locus, and the 31E inversion breakpoint mapped within this contig. This therefore maps the genomic DNA important for pie function.

Within the next 12 months we will proceed with the isolation of the pie gene exactly as envisaged in the original statement of work. Using Northern blotting and cDNA library screening, transcription units in the pie-critical region will be identified and mapped. Candidate pie transcription units will be sequenced. The transcription unit responsible for pie mutant function will be identified by the criteria that it should be altered in each of seven independent pie mutations now available to us, and/or by rescue of the pie mutant phenotype by transformed genomic DNA. Results from these experiments will leave us poised to investigate the mechanism of pie gene function and its role in cell survival during the third year of the grant.

#### CONCLUSIONS

A genomic region likely to contain the pie gene has been mapped.

#### REFERENCES

- 1. F. Ready, T. E. Hanson, S. Benzer, Developmental Biology 53, 217-240 (1976).
- 2. P. A. Lawrence, S. M. Green, Developmental Biology 71, 142-152 (1979).
- 3. J. C. de Nooij, I. K. Hariharan, Science 270, 983-985 (1995).
- 4. A. Tomlinson, D. F. Ready, Developmental Biology 120, 366-376 (1987).
- 5. A. P. Jarman, E. H. Grell, L. Ackerman, L. Y. Jan, Y. N. Jan, Nature 369, 398-400 (1994).
- 6. M. Freeman, Development 124, 261-270 (1997).
- 7. N. E. Baker, G. M. Rubin, Developmental Biology 150, 381-396 (1992).
- 8. N. E. Baker, et al., Journal of Neurogenetics 8, 85-100 (1992).
- 9. N. J. Clegg, et al., Genetics 134, 221-230 (1993).
- 10. I. Siden-Kiamos, et al., Nucleic Acids Research 18, 6261-6270 (1990).

#### **DEPARTMENT OF THE ARMY**



US ARMY MEDICAL RESEARCH AND MATERIEL COMMAND 504 SCOTT STREET FORT DETRICK, MARYLAND 21702-5012

REPLY TO ATTENTION OF:

MCMR-RMI-S (70-1y)

23 Aug 01

MEMORANDUM FOR Administrator, Defense Technical Information Center (DTIC-OCA), 8725 John J. Kingman Road, Fort Belvoir, VA 22060-6218

SUBJECT: Request Change in Distribution Statement

- 1. The U.S. Army Medical Research and Materiel Command has reexamined the need for the limitation assigned to the technical reports listed at enclosure. Request the limited distribution statement for these reports be changed to "Approved for public release; distribution unlimited." These reports should be released to the National Technical Information Service.
- 2. Point of contact for this request is Ms. Judy Pawlus at DSN 343-7322 or by e-mail at judy.pawlus@det.amedd.army.mil.

FOR THE COMMANDER:

Encl

PHYLIS M. RINEHART

Deputy Chief of Staff for Information Management

## Reports to be Downgraded to Unlimited Distribution

ADB241560	ADB253628	ADB249654	ADB263448
ADB251657	ADB257757	ADB264967	ADB245021
ADB263525	ADB264736	ADB247697	ADB264544
ADB222448	ADB255427	ADB263453	ADB254454
ADB234468	ADB264757	ADB243646	
ADB249596	ADB232924	ADB263428	
ADB263270	ADB232927	ADB240500	
ADB231841	ADB245382	ADB253090	
ADB239007	ADB258158	ADB265236	
ADB263737	ADB264506	ADB264610	
ADB239263	ADB243027	ADB251613	
ADB251995	ADB233334	ADB237451	
ADB233106	ADB242926	ADB249671	
ADB262619	ADB262637	ADB262475	
ADB233111	ADB251649	ADB264579	
ADB240497	ADB264549	ADB244768	
ADB257618	ADB248354	ADB258553	
ADB240496	ADB258768	ADB244278	
ADB233747	ADB247842	ADB257305	
ADB240160	ADB264611	ADB245442	
ADB258646	ADB244931	ADB256780	
ADB264626	ADB263444	ADB264797	